


POS	PART #	PART NAME	QTY
01	KD325917010	HANGER	1
02	KD325912012	MAXLE NUT	1
03	KD325916001	MAXLE NUT KEEPER	1
04	KD325917010	HANGER SCREW (DIN 912 M4X16)	1
05	KD160218036	THRU AXLE 12 X 148MM	1
06	KD330019036	PIVOT SET: ALL SCREWS, WASHERS AND SPACERS	1
07	KD330019037	LINKAGE SET: MAINLINK & GUIDELINK	1
08	KD330019038	BEARING SET: 2 X 61903 2RSR MAX, 2 X 3801 2RSR MAX, 4 X 61901 2RSR MAX	1
09	KD325917057	INTERNAL BATTERY FIX BOLT M12	2
10	KD325917058	INTERNAL BATTERY FIX BOLT WASHER	2
11	KD325918304	INTERNAL BATTERY FIX RAIL	1
12	NORM PART	SCREW DIN7991 M4 X 10	1
13	-	MAGNETIC CABLEHOLDER STEELPLATE	1
14	NORM PART	SCREW DIN7991 M5 X 12	1
15	KD325917027	CABLE GUIDE	1
16	NORM PART	SCREW M8 X 20 (MOTOR MOUNT)	6

17	NORM PART (KD199117040)	SCREW M5 X 12 (SKID PLATE MOUNT)	4
18	NORM PART	SCREW M3 X 12	7
19	NORM PART	SCREW M3 X 25 (AIR & CABLE INTAKES)	2
20	KD325914011	JAGWIRE D12 PLUG	0 MECH./1 D12
21	KD325916165	JAGWIRE BLIND PLUG	1 MECH./0 D12
22	KD325912330	DCW D12 CABLE PLUG	1 MECH./2 D12
23	KD325917055	AIR & CABLE INTAKE LEFT	1
24	KD325917056	AIR & CABLE INTAKE RIGHT	1
25	KD325917046	CHAINSTAY PROTECTOR	1
26	KD325921089	SKID PLATE EP8	1
27	KD170517017	SPEEDMAGNET	1
28	KD170817063	ON/OFF BUTTON HOLDER	1
29	KD325918145	CHARGEPORT PLASTIC COVER	1
30	KD325918146	DOWNTUBE RUBBER PROTECTOR	1
31	KD325918147	CABLE EXIT PLUG	1
32	KD325916095	BRAKE CABLE PROTECTION TUBE PVC 6 X 7 X 300	2


MATERIAL	CARBON – ALUMINUM 7005
WHEELSIZE	27.5" + MAX. 2.8" / 71MM TIRE
TRAVEL	FRONT 150MM – REAR 150MM
SHOCK	LENGTH 210MM – STROKE 55MM – HARDWARE 25 X 8MM
HEADSET	UPPER ZS Ø42MM – LOWER ZS Ø52MM
FORK	29" – LENGTH 561MM – RAKE 51MM
SEATPOST / SEATCLAMP	Ø31,6MM – Ø34,9MM – MINIMUM INSERT 100MM
FRONT AXLE	110MM / Ø12MM
REAR BRAKEMOUNT	POSTMOUNT Ø180MM – MAX. ROTOR Ø200MM
REAR AXLE	148MM / Ø12MM
RD HANGER	FOCUS
ENGINE	SHIMANO STEPS EP8
BATTERY	FOCUS 378WH / 378WH
MAX SYSTEM WEIGHT	120 KG



POS	PART #	PART NAME	QTY
01	KD325917010	HANGER	1
02	KD325912012	MAXLE NUT	1
03	KD325916001	MAXLE NUT KEEPER	1
04	KD325917010	HANGER SCREW (DIN 912 M4 X 16)	1
05	KD160218036	THRU AXLE 12 X 148MM	1
06	KD330019036	PIVOT SET: ALL SCREWS, WASHERS AND SPACERS	1
07	KD330019037	LINKAGE SET: MAINLINK & GUIDELINK	1
08	KD330019038	BEARING SET: 2 X 61903 2RSR MAX, 2 X 3801 2RSR MAX, 4 X 61901 2RSR MAX	1
09	KD325917057	INTERNAL BATTERY FIX BOLT M12	2
10	KD325917058	INTERNAL BATTERY FIX BOLT WASHER	2
11	KD325918304	INTERNAL BATTERY FIX RAIL	1
12	NORM PART	SCREW DIN7991 M4 X 10	1
13	KD325917093	MAGNETIC PLATE CABLEHOLDER	1
14	NORM PART	SCREW DIN7991 M5 X 12	1

15	KD325917027	CABLE GUIDE	1
16	NORM PART	SCREW M8 X 20 (MOTOR MOUNT)	6
17	NORM PART (KD199117040)	SCREW M5 X 12 (SKID PLATE MOUNT)	4
18	NORM PART	SCREW M3 X 12	7
19	KD325914011	JAGWIRE DI2 PLUG	0 MECH./1 DI2
20	KD325916165	JAGWIRE BLIND PLUG	1 MECH./0 DI2
21	KD325912330	DCW DI2 CABLE PLUG	1 MECH./2 DI2
22	KD325917055	AIR & CABLE INTAKE LEFT	1
23	KD325917056	AIR & CABLE INTAKE RIGHT	1
24	KD325917046	CHAINSTAY PROTECTOR	1
25	KD325917051	SKID PLATE	1
26	KD170517017	SPEEDMAGNET	1
27	KD170817063	ON / OFF BUTTON HOLDER	1
28	KD325916095	BRAKE CABLE PROTECTION TUBE PVC 6 X 7 X 150	2


MATERIAL	ALUMINUM 7005 – ALUMINUM 7005
WHEELSIZE	29" MAX. 2.6" / 66MM TIRE – 27.5" + MAX. 2.8" / 71MM TIRE
TRAVEL	FRONT 150MM – REAR 150MM
SHOCK	LENGTH 210MM – STROKE 55MM – HARDWARE 25 X 8MM
HEADSET	UPPER ZS Ø44MM – LOWER ZS Ø56MM
FORK	29" – LENGTH 561MM – RAKE 51MM
SEATPOST / SEATCLAMP	Ø31,6MM – Ø34,9MM – MINIMUM INSERT 100MM
FRONT AXLE	110MM / Ø15MM
REAR BRAKEMOUNT	POSTMOUNT Ø180MM – MAX. ROTOR Ø200MM
REAR AXLE	148MM / Ø12MM
RD HANGER	FOCUS
ENGINE	SHIMANO STEPS E8000
BATTERY	FOCUS 378WH / 378WH
MAX SYSTEM WEIGHT	120 KG





POS	PART #	PART NAME	QTY
01	KD220420010	REAR TRIANGLE	1
02	KD325929998	LINKAGE SET: MAINLINK & GUIDELINK	1
03	KD325920004	HANGER	1
04	KD325920005	HANGER NUT	1
05	KD160218036	THRU AXLE 12 X 148MM	1
06	KD325920047	AXLE WASHER RIGHT 16 X 8MM	1
07	KD325920048	AXLE WASHER LEFT 12 X 9.5MM	1
08	KD325920049	POST MOUNT ADAPTER "200MM LOW"	1
09	KD325920050	POST MOUNT ADAPTER "200MM HIGH"	1
10	KD325920006	L-BRACKET (LOCK SIDE) FOR BATTERY MOUNT	1
11	KD325920007	TWIN WASHER (LOWER) 27 X 20 FOR BATTERY MOUNT	1
12	KD199318004	TWIN WASHER (UPPER) 26 X 12 FOR FORK BUMPER	1
13	KD325920021	FORK BUMPER	1
14	NORM PART	SCREW DIN 7991 M5 X 20	4
15	KD325920024	BATTERY COVER PT 600	1
16	NORM PART	SCREW DIN 7991 M3 X 10	8
17	NORM PART	HEXAGON THIN NUT DIN 439-1 M3	2
18	KD325920025	CHARGER PLUG BRACKET	1
19	KD325920026	CHARGER PLUG COVER	1
20	KD325920027	LOCK COVER	1
21	KD325920028	CABLE CHANNEL DT	1
22	KD325918147	CABLE EXIT PLUG BB	1
23	KD325929997	BEARING SET: 2 X 61903 2RSR MAX, 2 X 3801 2RSR MAX, 4 X 63802 2RSR MAX	2

24	KD325929996	PIVOT SET: ALL SCREWS, WASHERS AND SPACERS	1
25	KD199119008	FOCUS BOTTLE CAGE SCREW M5 X 12	2
26	KD325920051	CHAINSTAY PROTECTOR	1
27	KD325920052	SEATSTAY PROTECTOR	1
28	KD325920023	MOTOR COVER SET	1
29	KD325920053	CHAINGUIDE	1
30	NORM PART	SCREW ISO14583 M6 X 20	3
31	NORM PART	WASHER M6 DIN125	3
32	KD325917027	CABLE GUIDE	1
33	NORM PART	SCREW DIN 7991 M5 X 8	1
34	KD325920029	CABLE PLUG DT (3 CABLES)	2
35	KD325919267	DCW DIZ CABLE PLUG V-1 (ONLY FOR DIZ)	1
36	KD325916095	BRAKE CABLE PROTECTION TUBE PVC 6 X 7 X 150	2
37	KD170520003	SPEEDMAGNET ADP-SHE8-2	1
38	KD199120009	THREAD-FORMING TAP SCREW M4 X 8	3
39	NORM PART	SCREW DIN 7380 M5 X 8	1
40	KD170620099	BATTERY EXTENSION (ONLY FOR PT 500 WH)	1
41	NORM PART	SCREW DIN 7984 M4 X 14 (ONLY FOR PT 500 WH)	4
42	NORM PART	SCREW DIN 7984 M6 X 10	1
43	KD120421903	STEM KIT	1
44	KD120421902	SPACER KIT	1
45	KD120420901	HEADSET KIT WITHOUT BLOCK LOCK	1
46	KD215221501	STEERER PROTECTOR HOSE FOR S-M	1
47	KD215221502	STEERER PROTECTOR HOSE FOR L-XL	1

MATERIAL	ALUMINUM 7005 – ALUMINUM 7005
WHEELSIZE	29" MAX. 2.6" / 66MM TIRE – 27.5"+ MAX. 2.8" / 71MM TIRE
TRAVEL	FRONT 150MM – REAR 150MM
SHOCK	LENGTH 210MM – STROKE 55MM – HARDWARE 25 X 8MM
HEADSET	UPPER ZS Ø44MM – LOWER ZS Ø56MM
FORK	29" – LENGTH 561MM – RAKE 51MM
SEATPOST / SEATCLAMP	Ø31,6MM – Ø34,9MM – MINIMUM INSERT 100MM
FRONT AXLE	110MM / Ø15MM
REAR BRAKEMOUNT	POSTMOUNT Ø203MM – MAX. ROTOR Ø200MM
REAR AXLE	148MM / Ø12MM
RD HANGER	FOCUS
ENGINE	BOSCH PERFORMANCE CX
BATTERY	BOSCH 625WH / 500WH
MAX SYSTEM WEIGHT	120 KG



COCKPIT INTEGRATION SOLUTION



POS	PART #	PART NAME	QTY
01	KD220420010	REAR TRIANGLE	1
02	KD325929998	LINKAGE SET: MAINLINK & GUIDELINK	1
03	KD325920004	HANGER	1
04	KD325920005	HANGER NUT	1
05	KD160218036	THRU AXLE 12 X 148MM	1
06	KD325920047	AXLE WASHER RIGHT 16 X 8MM	1
07	KD325920048	AXLE WASHER LEFT 12 X 9.5MM	1
08	KD325920049	POST MOUNT ADAPTER "200MM LOW"	1
09	KD325920050	POST MOUNT ADAPTER "200MM HIGH"	1
10	KD325920006	L-BRACKET (LOCK SIDE) FOR BATTERY MOUNT	1
11	KD325920007	TWIN WASHER (LOWER) 27 X 20 FOR BATTERY MOUNT	1
12	KD199318004	TWIN WASHER (UPPER) 26 X 12 FOR FORK BUMPER	1
13	KD325920021	FORK BUMPER	1
14	NORM PART	SCREW DIN 7991 M5 X 20	4
15	KD325920024	BATTERY COVER PT 600	1
16	NORM PART	SCREW DIN 7991 M3 X 10	8
17	NORM PART	HEXAGON THIN NUT DIN 439-1 M3	2
18	KD325920025	CHARGER PLUG BRACKET	1
19	KD325920026	CHARGER PLUG COVER	1
20	KD325920027	LOCK COVER	1
21	KD325920028	CABLE CHANNEL DT	1
22	KD325918147	CABLE EXIT PLUG BB	1

23	KD325929997	BEARING SET: 2 X 61903 2RSR MAX, 2 X 3801 2RSR MAX, 4 X 63802 2RSR MAX	2
24	KD325929996	PIVOT SET: ALL SCREWS, WASHERS AND SPACERS	1
25	KD199119008	FOCUS BOTTLE CAGE SCREW M5 X 12	2
26	KD325920051	CHAINSTAY PROTECTOR	1
27	KD325920052	SEATSTAY PROTECTOR	1
28	KD325920023	MOTOR COVER SET	1
29	KD325920053	CHAINGUIDE	1
30	NORM PART	SCREW ISO14583 M6 X 20	3
31	NORM PART	WASHER M6 DIN125	3
32	KD325917027	CABLE GUIDE	1
33	NORM PART	SCREW DIN 7991 M5 X 8	1
34	KD325920029	CABLE PLUG DT (3 CABLES)	2
35	KD325919267	DCW DI2 CABLE PLUG V-1 (ONLY FOR DI2)	1
36	KD325916095	BRAKE CABLE PROTECTION TUBE PVC 6 X 7 X 150	2
37	KD170520003	SPEEDMAGNET ADP-SHE8-2	1
38	KD199120009	THREAD-FORMING TAP SCREW M4 X 8	3
39	NORM PART	SCREW DIN 7380 M5 X 8	1
40	KD170620099	BATTERY EXTENSION (ONLY FOR PT 500 WH)	1
41	NORM PART	SCREW DIN 7984 M4 X 14 (ONLY FOR PT 500 WH)	4
42	NORM PART	SCREW DIN 7984 M6 X 10	1

MATERIAL	ALUMINUM 7005 – ALUMINUM 7005
WHEELSIZE	29" MAX. 2.6" / 66MM TIRE – 27.5" + MAX. 2.8" / 71MM TIRE
TRAVEL	FRONT 150MM – REAR 150MM
SHOCK	LENGTH 210MM – STROKE 55MM – HARDWARE 25 X 8MM
HEADSET	UPPER ZS Ø44MM – LOWER ZS Ø56MM
FORK	29" – LENGTH 561MM – RAKE 51MM
SEATPOST / SEATCLAMP	Ø31,6MM – Ø34,9MM – MINIMUM INSERT 100MM
FRONT AXLE	110MM / Ø15MM
REAR BRAKEMOUNT	POSTMOUNT Ø203MM – MAX. ROTOR Ø200MM
REAR AXLE	148MM / Ø12MM
RD HANGER	FOCUS
ENGINE	BOSCH PERFORMANCE CX
BATTERY	BOSCH 625WH / 500WH
MAX SYSTEM WEIGHT	120 KG

